

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|--------------------|------------------|---------|------------------|
| L1 | 59 | FRM and BRM and ((forward or backward) near2 cell\$1) | US-PGPUB; USPAT | OR | OFF | 2006/10/07 17:18 |
| L2 | 542 | ATM and cell\$1 and ((FRM or (forward near2 cell\$1)) or ((backward or BRM) near2 cell\$1) or (setup adj (message\$1 or cell\$1 or packet\$1))) and @AD<"19981005" | US-PGPUB; USPAT | OR | OFF | 2006/10/07 17:19 |
| L3 | 98 | L2 and (routing adj table\$1) and path\$1 and node\$1 | US-PGPUB; USPAT | OR | OFF | 2006/10/07 17:19 |
| L4 | 84 | L3 and source\$1 and destinat\$6 | US-PGPUB; USPAT | OR | OFF | 2006/10/07 17:20 |
| L5 | 49 | L3 and source\$1 and destinat\$6 and intermediate | US-PGPUB; USPAT | OR | OFF | 2006/10/07 17:19 |

TH

EAST Search History

Interference Search

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|----------|------------------|---------|------------------|
| L6 | 0 | node\$1 and link\$1 and (determin\$4 adj4 route\$1) and destinat\$4 and (allocat\$4 adj4 rule) and (setup adj message\$1) and (replace\$4 or updat\$4).clm. | US-PGPUB | OR | OFF | 2006/10/07 17:25 |
| L7 | 0 | node\$1 and link\$1 and determin\$4 and route\$1 and (source or original) and destinat\$4 and (allocat\$4 adj4 rule) and (setup adj message\$1) and (replace\$4 or updat\$4).clm. | US-PGPUB | OR | OFF | 2006/10/07 17:26 |
| L8 | 0 | node\$1 and link\$1 and determin\$4 and route\$1 and (source or original) and destinat\$4 and (allocat\$4 adj4 rule) and (setup adj3 message\$1) and (replace\$4 or updat\$4).clm. | US-PGPUB | OR | OFF | 2006/10/07 17:26 |
| L11 | 0 | (node\$1 and link\$1 and determin\$4 and rout\$3 and (source or original) and destinat\$4 and allocat\$4 and (setup adj3 message\$1) and (forward\$4 adj3 information\$1) and (replace\$4 or updat\$4)).clm. | US-PGPUB | OR | OFF | 2006/10/07 17:29 |
| L12 | 0 | (node\$1 and link\$1 and determin\$4 and route\$1 and (source or original) and destinat\$4 and allocat\$4 and (setup adj3 message\$1) and (replace\$4 or updat\$4)).clm. | US-PGPUB | OR | OFF | 2006/10/07 17:29 |

TH